



Welcome to the Siding Collection.

For more than 100 years, homeowners and building professionals have trusted CertainTeed for the highest quality building products, and continually setting the standards for exciting innovations in style and performance.

Today, that spirit of innovation comes to life in the CertainTeed Siding Collection – an exceptional selection of siding products offering the industry's broadest choice of options in materials, styles, colors and performance options. With superior beauty, quality and durability, CertainTeed siding is ideal for any siding project, and the perfect complement to products that transform outdoor areas into open-air Living Spaces<sup>TM</sup>.




## CERTAINTEED: LEADING WITH MATERIALS, STYLES AND COLORS FOR THE PERFECT SPACES TM

The comforts of home are no longer defined by four walls. Outside living spaces are "in" as porches, yards and gardens are transformed into beautiful open-air rooms. If you're longing for the joys of fresh air living, CertainTeed can help. Our Living Spaces exterior products suite, including siding, soffit and accessories, porch, decking, railing and fence products, offers everything you need to create and define your own great outdoors.

CertainTeed's long-standing commitment to innovation, quality and service is firmly rooted in our founding philosophy of "Quality made Certain, Satisfaction Guaranteed." It's a promise we take as seriously today as we did a century ago.



Color shown throughout this brochure is as accurate as printing methods will permit. Please see product samples before making final selection.





#### OVERVIEW

CertainTeed is the acknowledged leader in vinyl & polymer siding, setting the standard for the industry. As such, we take seriously our commitment to continue to provide innovative, quality products from a company of proven trust.

> First In Color With Lifetime **Fade Protection** CertainTeed offers an industry-leading spectrum

of colors including unique, darker shades and semitransparent stained blends for virtually unlimited design

possibilities. Utilizing the

PermaColor™ System – a

ingredients and state-of-

the-art pigment chemistry

CertainTeed guarantees

on our vinyl siding, as well

durability. With CertainTeed

Lifetime Fade Protection

as impact resistance and

siding, you'll never need

to paint and you can rest assured that your home will

stay beautiful for

years to come.

resin, superior micro-

blend of our own Certavin™



#### First In Brand Use

Year after year, CertainTeed Siding has been Rated #1 in Brand Use by remodelers, builders, architects and consumers.



Start exploring preset color combinations and create your own custom exterior with on-line, interactive tools, designed to help vou "Visualize Your Home"

#### First In Style

CertainTeed siding is available in a wide choice of styles that complements any architectural design. Each has a unique look based on designs common to diverse geographic areas and historical periods.



CertainTeed was the first to produce siding utilizing a direct transfer system from real cedar boards for natural TrueTexture™ finishes. Combined with CertainTeed's Vinyl Carpentry® and Restoration Millwork®, the look of true wood craftsmanship can be created with siding and

#### First In Performance

CertainTeed siding was the first design to perform under high wind conditions through proprietary RigidForm™ technology. The concept is based on a rolled-over nail hem design that creates a reinforcing spine.



decorative trim products.

#### First In Life Cycle Leadership

CertainTeed believes a product's environmental performance should not be a mystery. CertainTeed is the first siding producer to submit their Life Cycle Analysis data to be reviewed, approved, and implemented by the National Institute of Standards and Technology (NIST).

The Building for Economic and **Environmental Sustainability (BEES)** 

on-line product evaluation program allows remodelers, builders, architects, and homeowners to evaluate any building product's environmental performance. For more information, go to www.certainteed.com/LCA.

This NAHB Research Center Green Approved mark is your assurance that a product is eligible for points toward National Green Building Certification. Visit www.GreenApprovedProducts.com for more details.



**National Institute of** 

Standards and Technology U.S. Department of Commerce



#### First In Installation Innovation

CertainTeed is the only siding engineered to include an integral installation guide on each panel. The patented **STUDfinder™** Installation System is designed to help ensure a precise installation for optimum siding performance.



#### First Complete Wall System

CertaWall Weather
Deterrence System delivers
energy efficiency and
long-term performance.
A key component in the
system, CertaWrap Weather
Resistant Barrier helps
assure long-term
satisfaction.





#### **CertaWrap and STUDfinder**

Builders and remodelers have come to rely on CertainTeed's STUDfinder Installation System. This innovative guide to accurate installation is an important value-added advantage of CertaWrap Weather Resistant Barrier.


## Precise Installation Made Easy

The patented STUDfinder Installation System is engineered to help align attachment points with construction standards, indicating the correct placement of nails or staples with studs. The STUDfinder location guide is printed directly onto the CertaWrap material. Installers simply need to follow the guide to assure an accurate installation.

#### **Accuracy and Quality**

STUDfinder is engineered to align nail slots precisely with construction standards, with indicator letters centered under each nail slot to make it easy to locate studs and help ensure accuracy.







# THE NATURAL LOOK **OF CEDAR SHINGLES** Double 7" Straight Edge Perfection Shingles in spruce. Siding: Trim: Vinyl Carpentry® & Restoration Millwork®.

Designed for whole house applications or accents,

Cedar Impressions® offers natural looking cedar shingle siding without the expense and heavy maintenance of wood.

#### The Ultimate in Beauty and Performance

- ♦ Six classic styles:
  - Triple 5" Straight Edge Perfection Shingles
    Double 7" Straight Edge Perfection Shingles
  - **Double 7" Staggered Perfection Shingles**
  - Double 7" Straight Edge Rough-Split Shakes
  - Double 9" Staggered Rough-Split Shakes
  - Double 6-1/4" Half-Round Shingles
- ◆ Patented PanelThermometer™ for precise installation.
- ◆ TrueTexture™ finish molded from real cedar shingles.
- Designed and tested to withstand hurricane force winds.
- Made of injection molded, durable polymer.
- Perfection and Half-Round Shingles are .100" thick with 3/4" panel projection.
- ♦ Rough-Split Shakes are .125" thick with 1" panel projection.
- Molded Perimeter Lock™ helps create a virtually seamless appearance.
- ♦ 30 low-gloss colors with a wide variety of coordinating trim.
- Virtually maintenance free, never needs painting.
- Lifetime limited warranty.

#### **Color Availability**


- Triple 5" Straight Edge Perfection Shingles
- ★ Double 7" Straight Edge Perfection Shingles
- ▲ Double 7" Staggered Perfection Shingles
- Double 7" Straight Edge Rough-Split Shakes
- Double 9" Staggered Rough-Split Shakes
- ★ Double 6-1/4" Half Round Shingles

Sable Brown	* A <b>  0</b> X	Suede	<b>•</b> 2	* 🛦	T	• ×
			Ė			
Pacific Blue	* A <b>  0 X</b>	Seagrass	<b>\Phi</b> :	* 🛦		• ×
Ivy Green	* A <b>E O</b> X	Savannah Wicker	<b>•</b> 3	* 🔺		• ×
Forest	* A <b>  O</b> ×	Sterling Gray	• 3	* 🛦	Ш	• ×
Autumn Red	* A <b>E O</b> X	Bermuda Blue	2	*		×
Terra Cotta	* A <b>E O</b> X	Green Tea	2	*		×
Mountain Cedar	◆ * <b>▲</b> ■ • ×	Sandpiper	<b>\Phi</b> 2	* 🛦		• ×
Hearthstone	<b>◆</b> * ▲ <b>■</b> • ×	Light Maple	<b>•</b> 2	* 🛦		• ×
Spruce	* A <b>  0</b> X	Desert Tan	<b>\Phi</b> 2	* 🛦		• ×
Charcoal Gray	* A <b>E O</b> X	Herringbone	<b>\Phi</b> 2	* 🛦		• ×
Flagstone	* A <b>  0</b> X	Heritage Cream	<b>•</b> 2	* 🛦		• ×
Granite Gray	◆ * A ■ • ×	Autumn Yellow	<b>•</b> 2	* 🛦		• x
,			Ť	· –	-	
Cupross		Candetana Daiga		M- A		
Cypress	<b>◆</b> * ▲ ■ • ×	Sandstone Beige	• 3	* 🔺		• *
Buckskin	◆ * ▲ <b>■ ●</b> ×	Snow	• 3	* 🔺		• ×
Natural Clay	<b>◆</b> * ▲ ■ <b>●</b> ×	Colonial White	<b>•</b> 2	* 🛦		• ×

## Style Availability Triple 5" Straight Edge

Perfection Shingles
15" x 60" Panel

Light Maple












Double 7" Straight Edge Rough-Split Shakes in autumn yellow.

#### **Mitered Outside Cornerposts**

Add a beautiful finishing touch to match your Shingle siding. Available in all profiles except half rounds.



Double 7" Staggered Perfection Shingles and Perfection Mitered Cornerposts in hearthstone.




T5" Perfection

D7" Staggered Perfection

#### Inside & Outside 45° Mitered Bay Window Cornerpost

Designed to work with Double 7" Straight Edge Perfection Shingles around bay windows.



Double 9" Staggered Rough-Split Shakes 18" x 57" Panel



Double 6-1/4" Half-Round Shingles



Inside Cornerpost for Double 7" Perfection Shingles



Double 7" mitered inside cornerpost.

For use with D7" Perfection panel only.









Ruggedly beautiful, Northwoods® faithfully recreates the natural textures and variable patterns of cedar shakes.



- Two authentic profiles:
   Single 7" Straight Edge Rough-Split Shakes
   Single 9" Staggered Rough-Split Shakes
- TrueTexture™ finish molded from real cedar shingles.
- Random shingle patterns provide the look of rough-split cedar.
- ♦ Deep tapered shingle gaps for a beautiful, distinct look.
- ♦ 17 low-gloss colors with a wide variety of coordinating trim.
- Designed to coordinate with other CertainTeed siding styles.
- 10' panel length.
- 1" panel projection.
- .050" thick, sturdy vinyl.
- Virtually maintenance free, never needs painting.
- Class 1(A) fire rating.
- Lifetime limited warranty.



Single 7" Straight Edge Rough-Split Shakes in flagstone.



Single 9" Staggered Rough-Split Shakes in natural clay.





Single 9" Staggered Rough-Split Shakes in flagstone.

**Natural Clay** 

#### TrueTexture™ Finish

Molded from real cedar shingles.

#### **Distinctive Exteriors**

Northwoods can be combined with other CertainTeed siding styles, textures and shapes – an ideal option for creating accent areas or highlighting special architectural features.



Monogram Double 5" Dutchlap in savannah wicker and Northwoods Single 7" Straight Edge Rough-Split Shakes in savannah wicker and autumn red.



#### Northwoods... Beauty Without the Work


Better than wood, Northwoods keeps its natural look for many years.







CedarBoards™ Insulated Siding provides the added strength and thermal benefit of rigid foam insulation with easy maintenance.





- Custom contoured foam provides strength and rigidity for outstanding impact resistance.
- Can increase overall thermal performance, helping to reduce heating and cooling costs.
- Reduces air infiltration to inhibit drafts.
- Absorbs sound for reduced exterior noise infiltration.
- Compensates for minor wall imperfections.
- Insulation treated with fire retardant and insect repellent contains no ozone-depleting chemicals.
- ◆ TrueTexture™ rough cedar finish molded from real cedar boards.
- Patented STUDfinder™ is designed for accurate and secure installation.
- Designed and tested to withstand hurricane force winds.
- DuraLock® post-formed lock design.
- 19 low-gloss colors with a wide variety of coordinating trim.
- ♦ 1-1/4" panel projection.
- .044" thickness (D6, S7, D4, D4-1/2)
   .052" thickness (S12)
- Virtually maintenance free, never needs painting.
- Lifetime limited warranty.

18

- Double 6" and Single 7" works with CedarBoards™ XL longer length siding.
- Recycled content for resource efficiency: CertainTeed CedarBoards D6 Insulated Siding (contains 60% recycled content) decreasing the consumption of natural resources and qualifying for LEED and NAHB credits.

A SUMMERIO

Double 6" Clapboard – 60% Recycled Content Contributes towards LEED and NAHB Green Building Standards

Accessories
A full line of accessories specially designed for use with CedarBoards siding.

Arbor Blend (D6 & S7 Only)\*\* Frontier Blend (D6 & S7 Only)\*\* Timber Blend (D6 & S7 Only)\*\* Autumn Red\* (D6, D6XL & S12BB only) **Granite Gray** Oxford Blue Cypress Buckskin **Natural Clay** Suede Savannah Wicker Sterling Gray Sandpiper Light Maple Desert Tan Heritage Cream Sandstone Beige Snow Colonial White


\* DELUXE COLOR

\*\* PREMIUM COLORS

THE NATURAL LOOK OF WIDE BOARD WOOD SIDING

Cedarl tradition





## **CedarBoards Siding Features:**

TrueTexture™ rough cedar finish molded from real cedar boards










## Monogram's industry leading color palette and coordinating trim colors offer a wide range of design possibilities.

- Widest color selection in the industry:
   33 low-gloss solid colors
   8 low-gloss wood-tone blends
   41 coordinating trim colors
- Three Classic Styles:

   Double 4" Rough Cedar Clapboard
   Double 5" Rough Cedar Clapboard
   Double 5" Rough Cedar Dutchlap
- TrueTexture™ rough cedar finish molded from real cedar boards.
- Patented STUDfinder™ is designed for accurate and secure installation.
- RigidForm<sup>™</sup> 220 technology has been tested to withstand wind load pressures up to 220 mph.
- CertiLock™ self-aligning, post-formed positive lock.
- ♦ 3/4" panel projection.
- .046" heavy-duty thickness.
- Virtually maintenance free, never needs painting.
- Class 1(A) fire rating.
- Lifetime limited warranty.
- Works with Monogram 46L & 46XL longer length siding.







#### Designability

Using the same color for sidil trim will simplify and unify a





Siding: Monogram Double 4" Clapboard in mountain cedar with Cedar Impressions Triple 5" Straight Edge Perfection Shingles in sandstone beige.

Double 4" Clapboard available in all colors.

◆ Double 5" Clapboard▲ Double 5" Dutchlap

Double 3 Dutchia

\* DELUXE COLORS

\*\* PREMIUM COLORS

ng and

home.



Subtle contrasting siding and trim colors add interest and depth to a home's design.



Strong contrast and a bold color scheme make architectural details stand out and can enhance the character of a home.



## Heavy-Duty .046" Thickness

Monogram panels feature a true .046" thickness for outstanding strength and durability.

#### RigidForm™ 220 Technology

This double thick .092" rolled-over nail hem design increases wind resistance and stiffens the panel. This design has been tested\* to withstand wind load pressures up to 220 mph.


\* Wind load rating per VSI wind speed calculation guidelines.


#### **CertiLock**™ ---

The exclusive CertiLock locking system features self-aligning multiple bends that snap together with an audible "click" to ensure a secure fit and more consistent installation.

#### 3/4" Panel Projection

A 3/4" panel projection provides excellent rigidity for straighter-on-the-wall performance.





#### EXTRA LONG, EXTRA THICK SIDING

Longer Length Monogram® 46L & 46XL has the same great benefits as traditional Monogram® 46, plus it reduces seams.



- Two Classic Styles Three Length Choices:
   Double 4" Rough Cedar Clapboard, 16'8", 20' or 25'
   Double 5" Rough Cedar Dutchlap, 16', 20' or 25'
- TrueTexture™ rough cedar finish molded from real cedar boards.
- Patented STUDfinder™ is designed for accurate and secure installation.
- RigidForm™ 220 technology has been tested to withstand wind load pressures up to 220 mph.
- CertiLock™ self-aligning, post-formed positive lock.
- 12 low-gloss colors with a wide variety of coordinating trim.
- 3/4" panel projection.
- Heavy-duty .046" thickness.
- Virtually maintenance free, never needs painting.
- Class 1(A) fire rating.
- Lifetime limited warranty.
- Works with traditional length Monogram siding.

#### The Difference is Seamlessly Clear

Two Story Wall, 25' Wide






#### **Long on Looks**

With traditional 12' siding panels, seams appear every two to three feet. Monogram's longer length panels can significantly reduce seams.









#### **Restoration Classic™ provides the premium features that make** it a great choice for both new construction and remodeling.

- **Five Popular Styles:** Double 4" Select Cedar Clapboard Double 5" Select Cedar Clapboard Double 4-1/2" Select Cedar Dutchlap Double 4-1/2" Smooth Clapboard Triple 3" Smooth Clapboard
- Natural woodgrain appearance or smooth low-gloss finish options.
- Patented STUDfinder™ is designed for accurate and secure installation.
- RigidForm® 180 technology has been tested to withstand wind load pressures up to 180 mph.
- DuraLock® post-formed lock design.
- 28 low-gloss colors with a wide variety of coordinating trim.
- 5/8" panel projection.
- .044" thickness.
- Virtually maintenance free, never needs painting.
- Class 1(A) fire rating.
- Lifetime limited warranty.



Siding: **Restoration Classic Double 4"** 

Select Cedar Clapboard in granite gray.

Trim: Vinyl Carpentry® & Restoration Millwork®.

Autumn Red *	×÷
Terra Cotta *	*
Mountain Cedar *	×
Sable Brown *	×
Hearthstone *	×
Suede	<b>* </b>
Spruce *	*
Forest *	<b>* </b>
Pacific Blue *	×
Flagstone *	×
Charcoal Gray *	<b>* </b>
Granite Gray	* + 4 = 0
Sterling Gray	* + 4 = 0
Oxford Blue	<b>* + 4 ■ •</b>

×	Double 4"	Select Cedar	Clapboard

- Double 4-1/2" Select Cedar Dutchlap
- Double 5" Select Cedar Clapboard
- Double 4-1/2" Smooth Clapboard
- Triple 3" Smooth Clapboard







Colonial White

 $\times \diamond \triangle$ 

Seagrass





Siding: Restoration Classic Double 5" Select Cedar Clapboard in linen.

Soffit: Beaded Vinyl Soffit

in colonial white.

Trim: Vinyl Carpentry® and Restoration Millwork®.



Siding: Restoration Classic Triple 3" Smooth Clapboard in heritage cream.

Trim: Vinyl Carpentry® & Restoration Millwork®.

#### RigidForm<sup>™</sup> 180 Technology

This double thick .088" rolled-over nail hem design increases wind resistance and stiffens the panel. This design has been tested\*\* to withstand wind load pressures up to 180 mph.

#### STUDfinder™ Installation System

Helps ensure accurate fastening.

#### **Premium Thickness**

Restoration Classic panels feature a true .044" thickness for outstanding strength and durability.

#### 5/8" Panel Projection →

A 5/8" panel projection provides excellent rigidity for straighter-on-the-wall performance.



<sup>\*\*</sup> Wind load rating per VSI wind speed calculation guidelines.



## THE TRADITIONAL LOOK OF ALTERNATING WIDE AND NARROW CEDAR BOARDS

Board & Batten vertical siding recreates the historic charm and rustic cedar look of a centuries-old siding style originally applied to log-built homes, barns and other early American structures.

- Ideal for whole house or accent applications.
- 6-1/2" board with a 1-1/2" batten creates an
   8" wide panel with the widest vinyl board span.
- Flat face board design results in a straight, even surface.
- Straight-edged battens for a sharp, carpentered look.
- 1/2" batten height.
- Available in two convenient lengths: 12'6" or 10'.
- 12'6" panels are 2'6" longer than competitive panels, offering installation and aesthetic advantages.
- ◆ TrueTexture™ rough cedar finish molded from real cedar boards.
- 12 low-gloss colors with a wide variety of coordinating trim.
- .048" premium thickness.
- Virtually maintenance free, never needs painting.
- Class 1(A) fire rating.
- Lifetime limited warranty.





#### Sharp Batten Edge

The straight-edged design of the batten creates a finely crafted, real-wood look.

#### Premium .048" Thickness

Board and Batten panels have a thickness of .048" for the ultimate in strength and durability.

## TrueTexture™ Rough Cedar Finish

Molded from real cedar boards.

#### Flat Face, 6-1/2" Board

CertainTeed's 6-1/2" board span is designed to have a straight, even face with a flat surface for a true cedar board appearance.



#### **OLD WORLD CHARM**

Reproduced from classic hand-crafted boards, Carolina Beaded™ provides an original impression for homes of distinction.

- 6-1/2" beaded design with distinct "V" groove and rounded bead.
- Brushed finish.
- Patented STUDfinder™ is designed for accurate and secure installation.
- Post-formed lock design provides secure installation.
- 14 low-gloss colors with a wide variety of coordinating trim.
- 3/4" panel projection.
- .044" thickness.
- Virtually maintenance free, never needs painting.
- Class 1(A) fire rating.
- Lifetime limited warranty.









Siding: Carolina Beaded in desert tan.

**Cedar Impressions Half-Round Shingles** Accents:

in desert tan, natural clay and autumn red.

Trim: Vinyl Carpentry® & Restoration Millwork®.




## DESIGN FLEXIBILITY TO MEET ANY BUDGET

MainStreet<sup>™</sup> offers consistent quality, good looks and is the ideal choice for homeowners looking for value with the benefits of a premium panel.

- Seven Classic Styles:

   Triple 3" Brushed Clapboard
   Double 4" Woodgrain Clapboard
   Double 5" Woodgrain Clapboard
   Double 4" Woodgrain Dutchlap
   Double 5" Woodgrain Dutchlap
   Single 8" Woodgrain Clapboard
   Single 6-1/2" Brushed Beaded
- Natural woodgrain or brushed appearance.
- Patented STUDfinder™ is designed for accurate and secure installation.
- RigidForm® 160 technology has been tested\* to withstand wind load pressures up to 160 mph.
- ◆ DuraLock® post-formed lock design.
- 24 low-gloss colors with a wide variety of coordinating trim.
- 1/2" panel projection.
- .042" thickness.
- Virtually maintenance free, never needs painting.
- Class 1(A) fire rating.
- Lifetime limited warranty.







Triple 3" Brushed Clapboard in desert tan

Double 4" Woodgrain Clapboard in cypress Double 5" Woodgrain Clapboard in silver ash Double 4" Woodgrain Dutchlap in snow Double 5" Woodgrain Dutchlap in natural clay

Single 8" Woodgrain Clapboard in colonial Single 6-1/2" Brushed Beaded in oxford blue



### \* Wind load rating per VSI wind speed calculation guidelines.

### Color Availability

Double 4" Clapboard, Double 5" Clapboard, Double 4" Dutchlap & Double 5" Dutchlap available in all colors.

- Single 6-1/2" Beaded
- ▲ Triple 3" Clapboard
- Single 8" Clapboard



Siding: MainStreet Double 4" Clapboard in cypress.

Accents: Cedar Impressions Half-Round Shingles in colonial white, natural

clay and ivy green. Vinyl Carpentry® &

Trim: Vinyl Carpentry® & Restoration Millwork®.



### VERSATILE LOOKS AND PERFORMANCE OVER TIME

- Three Classic Styles:
   Double 4" Woodgrain Clapboard
   Double 5" Woodgrain Clapboard
   Double 4-1/2" Woodgrain Dutchlap
- Natural woodgrain appearance.
- ◆ Patented STUDfinder™ is designed for accurate and secure installation.
- ◆ GripLock<sup>™</sup> for secure, snap-fit installation.
- 22 low-gloss colors with a wide variety of coordinating trim.
- 9/16" panel projection.
- .042" thickness.
- Virtually maintenance free, never needs painting.
- Class 1(A) fire rating.
- Lifetime limited warranty.







Clapboard in oxford blue



Siding: American Legend Double 4"Clapboard in Heritage Cream.

Trim: Vinyl Carpentry® & Restoration Millwork®.

# Encore™



## GREAT LOOKS AND AFFORDABILITY

Encore<sup>™</sup> combines high quality with proven features to help you achieve the look you desire.

- Four Popular Styles:
   Triple 3" Woodgrain Clapboard
   Double 4" Woodgrain Clapboard
   Double 5" Woodgrain Clapboard
   Double 4-1/2" Woodgrain Dutchlap
- Natural woodgrain look.
- Patented STUDfinder™ is designed for accurate and secure installation.
- RigidForm<sup>™</sup> 135 technology has been tested to withstand wind load pressures up to 135 mph.
- Post-formed lock design.
- 13 low-gloss colors with a wide variety of coordinating trim.
- 1/2" panel projection.
- .040" thickness.
- Virtually maintenance free, never needs painting.
- Class 1(A) fire rating.
- Lifetime limited warranty.





Triple 3" Woodgrain Clapboard in savannah wicker Double 4" Woodgrain Clapboard in natural clay

Double 5" Woodgrain Clapboard in sterling gray Double 4-1/2" Woodgrain Dutchlap in herringbone



Oxford Blue	
Cypress	
Natural Clay	
Savannah Wicker	
Savannan wicker	
Sterling Gray	
Light Maple	
Desert Tan	
Warm Sand	
warm sand	
Herringbone	
Heritage Cream	
Sandstone Beige	
Snow	
311044	

Colonial White



# AUTHENTIC LOOK OF BEVELED EDGE WOOD PLUS THE DURABILITY OF VINYL SIDING.

- ◆ Double 5" style in solid and fully vented panel.
- Designed for vertical siding, porch ceiling, and soffit applications.
- Unique V-Groove lock design.
- Brushed finish.
- 9/16" panel projection.
- 8 low-gloss colors with a wide variety of coordinating trim.
- Virtually maintenance-free.
- Class 1(A) fire rating.
- Lifetime Limited Warranty.



Heritage Cream

Colonial White



Color performance, impact resistance and durability are assured through our exclusive PermaColor™ System, a blend of our own Certavin™ resin, superior micro-ingredients and state-of-the-art pigment chemistry.



### **Unique V-Groove Lock Design**

Designed for vertical siding, porch ceiling, and soffit applications.

### **Extra Thick**


Solid or fully vented panel .044" thickness.

### Smooth Brushed Finish

Available in 8 low-gloss, virtually maintenance-free colors.



Triple 3-1/3" InvisiVent® Soffit has the highest ventilation performance of any vinyl soffit available today.




Triple 3-1/3" InvisiVent


Triple 3-1/3" InvisiVent offers at least 50% more ventilation than most standard vinyl soffit, providing more than 10" of net-free intake area.

This means that not only will InvisiVent provide a balanced ventilation system, but will do so with an overhang as short as 10".

Hidden vents provide a smooth, flat non-perforated surface versus most vented soffits with unsightly perforations.



Triple 3-1/3" InvisiVent




Standard vented soffit

### **Triple 3-1/3" Solid –**

## Perfect for Vertical Siding Applications, Too.

Solid Triple 3-1/3" panels are the ideal solution for accent areas where a vented panel is not necessary. The flat face design creates a straighter panel with the look of smooth, painted wood. Deep dovetails between panel faces contribute extra rigidity, while forming a clear, sharp edge that is pleasing to the eye.



#### All CertainTeed Soffits Feature:

- ★ Virtually maintenance free, never needs painting.
- ★ Class 1(A) fire rating.
- ★ Lifetime limited warranty.

### **Triple 3-1/3"**

- InvisiVent® and solid styles.†
- The only vinyl soffit to provide more than 10 inches of net-free intake area.
- Concealed intake vents provide a smooth appearance.
- Matte finish looks like freshly painted wood.
- Deep 3/4" panel projection creates sharp definition.
- 13 low-gloss colors.
- Heavy-duty .044" thickness for rigidity.

#### Perimeter Triple 3-1/3"

- Solid and hidden vent styles.
- \* 14 low-gloss colors.
- .040" thickness.
- ★ Hidden vent style provides up to 9.65" of net-free intake area.

#### Chamfer Board™ Double 5"

- \* Solid and fully vented soffit.
- \* Extra thick .044" construction
- Designed for vertical siding, porch ceiling and soffit application.
- \* 8 low-gloss colors.

### Ironmax<sup>™</sup> Double 5"

- ▲ Solid and fully vented styles.†
- ▲ Extra-thick .046" construction for optimum strength and flat face appearance.
- Designed for vertical siding, porch ceiling and soffit applications.
- ▲ Unique post-formed lock design helps ensure secure installation.
- 29 low-gloss woodgrain colors (sable brown, pacific blue, ivy green, autumn red, charcoal gray and forest for soffit applications only).
- ▲ 6.4" of net-free air per sq. ft.- fully vented.

### Beaded Triple 2"

- Wainscot style in solid and invisibly vented.†
- Designed for vertical siding, porch ceiling and soffit applications.
- Smooth finish of professionally applied paint.
- Extra-long slip-lock design helps provide secure installation.
- 8 low-gloss colors.
- .039" thickness.
- 1.6" of net-free air per sq. ft.- invisibly vented.

#### **Universal Triple 4"**

- Solid, fully vented and center vented styles.†
- Designed for vertical siding, porch ceiling and soffit applications.
- Matte finish.
- Post-formed lock design helps provide secure installation.
- 35 low-gloss colors.
- .040" thickness.
- 5.9" of net-free air per sq.ft. fully vented.
- 2" of net-free air per sq. ft. center vented.

### Value Triple 4" & Double 5" Soffit

9 colors in Triple 4": colonial white, snow, heritage cream, herringbone, desert tan, light maple, sterling gray, savannah wicker and natural clay


5 colors in Double 5": colonial white, desert tan, savannah wicker, sterling gray and natural clay

† NOTE: Vented soffits are for soffit use only. Center vented soffits available in Colonial White and Snow only.



- ★ Perimeter Triple 3-1/3"
- \* Chamfer Board Double 5"
- ▲ Ironmax Double 5"
   Beaded Triple 2"
- Universal Triple 4"









Create dry patio space under the deck and extend usable living space with a patio, screened porch or hot-tub retreat around the home.



Custom Restoration Millwork® columns and brackets, combined with the UnderShield Ceiling System, creates a formal yet inviting area.



Under the deck is a perfect area for storage of frequently used outdoor toys, lawn and garden equipment and more.

### WATER DIVERSION SYSTEM

UnderShield turns an unsightly deck underside into a dry, beautiful ceiling, creating limitless options for new exterior living spaces.


## New Possibilities for the Home

A beautiful deck is easy to love, from the top. Now, you can love your deck from underneath as well, with the beautiful possibilities of UnderShield<sup>TM</sup>.

A unique, vinyl shield and ceiling system designed to respond to the needs of building professionals and homeowners, UnderShield is easy to install to new or existing decks, and will maintain unobstructed air flow when properly installed. Panels can run parallel or perpendicular to the home, and an easy-to-use clip creates the desired pitch.


Savannah Wicker
Sterling Gray

Colonial White



UnderShield is available in beaded or chamfer panels (A). System also includes clips (B), grid system (C), fascia panels and stainless steel hardware (not shown).

- ◆ Low maintenance water diversion system.
- Easy to install adjustable grid system.
- Concealed clip system.
- Stainless steel hardware provides security and lasting performance.
- High quality vinyl panels.
- ◆ Available in 6"x 16' panels.
- ♦ Choice of 2 panel styles and 3 colors.
- Suitable for 1 and 2-story residential applications.
- Lifetime limited warranty.



### **Decorative Trim**


VINYL CARPENTRY® & RESTORATION MILLWORK®

### Vinyl Carpentry®

Vinyl Carpentry® trim offers you a wide array of decorative design possibilities to accent your home's exterior. Replicate the look of real wood with a wonderful assortment of styles and colors – and they never need painting.



Soffit & Gable



Accent

50





TWO GREAT CHOICES FOR ONE AUTHENTIC, REAL WOOD LOOK

### **Restoration Millwork®**

Restoration Millwork cellular PVC trim makes an authentic statement on your home. Available in smooth and realistic TrueTexture™ woodgrain finish in a wide variety of traditional and specialty profiles – you can also mill it or paint it to create custom designs.



### Vinyl Carpentry®

Create the look of true wood craftsmanship with a complete line of decorative accents and trim pieces for both new construction and remodeling.

- Designed to add distinction to windows, doors, corners, gables and frieze boards.
- Authentic painted wood look.
- New construction and remodeling installation flexibility.
- Wide variety of colors to coordinate with siding.
- Color-clear-through construction means scratches won't show.
- Virtually maintenance free, never needs painting.

# Soffit & Gable

DETAILS



Beaded Triple 2" with Soffit Cove Molding

### Accent





Cedar Impressions Half-Rounds

## Corner



Beaded SuperCorner

# Window & Door


DETAILS



3-1/2" Lineal



Ironmax™ Double 5" Fully Vented with Cornice Molding



Cedar Impressions Half-Round and Perfection Shingles



**Traditional SuperCorner** 



5" and 3-1/2" Lineals with Crown Molding



Ironmax™ Double 5" with Cornice Molding



Perfection Shingles and Rough-Split Shakes with 5" Lineal Band Board



Fluted SuperCorner



3-1/2" Lineal with Corner Block and Rosette



5" Lineal



Perfection Shingles and CedarBoards Double 6" with 7-1/4" Band Board with foam insert



4-Piece Corner with 3-1/2" Lineal and Quarter Round Insert



3-1/2" Lineal with Crown Molding

### RESTORATION MILLWORK® **Exterior Trim**

### Restoration Millwork®—The Ultimate Finish!

With Restoration Millwork, CertainTeed offers solutions that meet the needs of both professionals and homeowners.

Restoration Millwork trim makes a statement of authenticity on any home's exterior; it cuts, mills, shapes and routes like the finest top-grade lumber. But, because it's made from cellular PVC, Restoration Millwork will outlast wood.

Whether you choose to work with a traditional or specialty profile, Smooth or TrueTexture™ finish, install in Natural White or paint\* another color, Restoration Millwork is made to enhance any vinyl, wood, stucco, fiber cement, brick and stone siding.

- Superior quality and excellent dimensional accuracy.
- Low-maintenance and long-lasting U-V resistant material.
- Natural White and ready to install.
- Can be painted to complement with exterior colors.
- Cuts and mills with traditional woodworking tools.
- Class A (Class 1) Flame Spread Classification.
- Meets ICC and CCMC code requirements.
- Made in U.S.A.
- Contains recycled content.
- 25-year limited warranty.

\*See Installation Guidelines RM003 for painting instructions.



Low maintenance and no worries about rotting, warping, moisture or insects.

### Versatility

Available in sheets and decorative trim for custom creations or pre-made products for easy installation.

> TrueTexture **Finish**

Smooth **Finish** 



#### **Custom Colors**

Can be easily painted with Sherwin-Williams VinylSafe<sup>™</sup> paint colors\*\* to complement with all exterior siding colors.

\*\*Sherwin-Williams VinylSafe Technology colors must be used when choosing darker colors



that have a Light Reflecting Value (LRV) of 54 or lower. For colors with a LRV of 55 or higher (the higher the LRV, the lighter the color), you can safely use an acrylic latex paint.

#### **Traditional**



TRIMBOARDS Regular & J-Pocket Smooth, Woodgrain

SHEETS



ONE-PIECE CORNERS Regular & J-Pocket Smooth, Woodgrain



BEADBOARD



Consult Product Spec Guide (RM030) for the complete product offering.



#45 47 49 CROWN

BEADBOARD PANEL Smooth, Woodgrain

DRIP CAP



### Column Wrap Slides On, Swings Closed for Fast, **Easy Installation**

A three-sided wrap with a swinging door on the fourth side, Column Wraps are pre-cut, pre-mitered, and pre-assembled to slide around existing wood load-bearing 4"x 4" or 6"x 6" porch posts.

Simple and versatile, with 2 column sizes: 8"x 8" and 10"x 10" square.



### RESTORATION MILLWORK® PRODUCT LINE

### **Profiles**



.I-CHANNEI











BRICKMOULD

BACK BAND

ADJUSTABLE BACK BAND

BASE CAP

356 CASING AND RB3 CASING

QUARTER ROUND

COVE MOULDING















LATTICE



SILL NOSE

HISTORIC SILL

All trimboards, sheets and one-piece corners are available in smooth and woodgrain.



**Beadboard with** TightLap™

### **Corners with Flange**

Designed to be installed quickly and easily, now attach corners by securing the flange directly avoiding any face nailing of the corner.

- Hidden attachment points
- Secures tightly to wall with screws
- Installs before siding
- Corners can still be used without flange

### **Beadboard** with TightLap™


Whether you choose 2TL or 3TL, Beadboard with TightLap delivers better hold with a larger concealed nailing area, and sturdy tongue and groove connections.


3TL Beadboarda full 1/3 wider for faster coverage.

### **Fiber Cement** Skirtboard with patent-pending DualStart® Design

Sets the first course for fiber cement siding installation and can contact the ground without needing

modifications. Also works as a transition board between siding styles.





# RESTORATION MILLWORK® Exterior Trim

Restoration Millwork is made from cellular PVC and is unsurpassed in its workability — no special woodworking tools are needed.






### Best $\star \star \star \star \star$

# **Finishing Touches**

ADDING THE WOW FACTOR






# THE PERFECT BALANCE BETWEEN WATER HOLDOUT AND BREATHABILITY

CertaWrap Weather Resistant Barrier provides an added layer of protection against air and moisture damage. It's part of the complete CertaWall Weather Deterrence System<sup>TM</sup>.

- The complete CertaWall Weather Deterrence System.
- The best defense against mold, mildew and water damage.
- Superior air holdout for better energy efficiency.
- Optimal Permeance Rating of 11.7.
- Outstanding UV performance.
- Excellent surfactant resistance.
- Double-strength tear resistance.
- Easy handling and installation with STUDfinder™.
- Lifetime limited warranty.

### **CertaWall Technology**

Beauty is more than skin deep. That's especially true when it comes to building or improving a home. Protection from the elements, energy efficiency and long-term performance are just as important as aesthetics. The CertaWall Weather Deterrence System delivers those advantages. As a key component in the system, CertaWrap Weather Resistant Barrier helps assure long-term satisfaction.





### CertaWrap Performance Superior Breathability, Water Resistance and Vapor Transmission

Mold, mildew and water damage are a home's worst enemies. An effective weather barrier system defends against these problems by resisting moisture penetration and air infiltration while allowing water vapor to dissipate. CertainTeed CertaWrap offers the industry's best combination of all of these properties, helping you defend against moisture and the elements during construction, and preventing moisture buildup – from inside and outside the home – after cladding is applied.





Polymer Shakes & Shingles





Fence



Insulated Sidina



PVC Exterior Trim & Beadboard



Decking and Railing



Vinyl Siding



Vinyl Carpentry® Trim



Housewrap



Professional: facebook.com/CertainTeedFreedomofChoice Consumer: facebook.com/CertainTeedLivingSpaces

[ Be Certain ] Confidence worth building on:

**ASK ABOUT OUR OTHER CERTAINTEED® PRODUCTS AND SYSTEMS:** 

ROOFING • SIDING • TRIM • DECKING • RAILING • FENCE • FOUNDATIONS GYPSUM • CEILINGS • INSULATION • PIPE

www.certainteed.com http://blog.certainteed.com CertainTeed Corporation P.O. Box 860 Valley Forge, PA 19482

Professional: 800-233-8990 Consumer: 800-782-8777

© 5/13 CertainTeed Corporation, Printed in U.S.A. Code No. CTS001

